Wunder-Bar

MODEL: 900-0020



The Starline Dual 5 Gallon Bowl Bubbler Beverage Dispenser is designed to clearly display and dispense a variety of still beverages while keeping them chilled such as flavored teas and lemonades, fruit juices, and other non-carbonated beverages. The PULL handle dispensing mechanism allows for a controlled release of beverage. Constructed from durable materials such as stainless steel, powder-coated matte finished side panels, and high-quality plastics to withstand the rigors of regular use in commercial environments. The thoughtful design minimizes parts to clean and lends to low maintenance.

STARLINE

PRODUCT OPTIONS AND ACCESSORIES

- Optional Accessories:
- PUSH Faucet Assembly

Included Accessories:

- Sprayer Tube Cleaning Brush
- Bowl Assembly with Decals, Bowls, Bowl Gaskets, & Bowl Covers
- Spray Tubes and Impeller Assemblies
- PULL Faucet Assemblies
- Drip Trays & Cup Rests

PRODUCT FEATURES

- Refreshing display of beverages
- Attractive black powder-coated, matte finish side panels and plastic grille
- · Robust stainless steel front panel
- High-capacity, energy efficient stainless steel cooling dome
- Removable drip tray and cup rest
- · PBA free
- Minimal parts for simplicity and cleaning
- Long-life compressor less maintenance, quiet operation, smaller in size, continuous lubrication
- Clear gallon markings to monitor liquid levels
- Spray tube assembly ensures continuous movement
- PULL faucet handle assembly
- To be used in ambient air 40F-90F





MODEL: 900-0020

WEIGHTS & DIMENSIONS	
Width	17.375 in
Depth	20.125 in
Height	29.875 in
Weight	97 l b
Clearance Required: Back	12 in
Clearance Required: Left Side	12 in
Clearance Required: Right Side	12 in

SHIPPING DETAILS	
Ship Width	40 in
Ship Depth	48 in
Ship Height	39 in
Ship Weight	125 l b
Ship Cubic Size	43.329 ft ³
Number of Shipment Parcels	3
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	95688
Freight Class (NMFC) NEW	250
Quick Ship Product	No
Ship Lead Time	40

PRODUCT CERTIFICATIONS





ENERGY SPECS			
Primary Energy Type	Electric	Number of Electrical Conductor Wires	1
Electrical Total Amperage	8.2 A	Dedicated Circuit Required	Yes
Electrical Volts	120V		A properly grounded
Electrical Total Wattage	984 W		electrical outlet with
Electrical Kilowatts	0.984 kW	Electrical Remarks	proper electrical re-
Electrical Hertz	60 Hz		quirements must be provided. Circuit should
Electrical Phase	1-Phase	Electrical remarks	be fused at 15amps and
Electrical Plug Type	NEMA 5-15		no other electrical ap-
Number of Electrical Plugs	1_		pliance should be con-
Electrical Connection Type	Cord and Plug		nected to this circuit.

ADDITIONAL SPECIFICATIONS	
Bowl Capacity	5 gal
Bowl Height	14.75 in
Number of Bowls	2
Refrigerant Type	R-134A
Refrigerant Volume	10 oz

Wunderbar reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated August 28, 2024




MODEL: 900-0020

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING



Wunderbar reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated August 28, 2024